# (19) World Intellectual Property Organization International Bureau



### 

## (43) International Publication Date 25 July 2002 (25.07.2002)

#### **PCT**

# (10) International Publication Number WO 02/057816 A1

(51) International Patent Classification<sup>7</sup>: G02F 1/13357

G02B 5/02,

(21) International Application Number: PCT/KR02/00020

(22) International Filing Date: 7 January 2002 (07.01.2002)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data: 2001/2813

18 January 2001 (18.01.2001) KR

(71) Applicant and

(72) Inventor: KIM, Man-Suk [KR/KR]; #183-79 Songsan-ri, Taean-eup, 445-975 Hwasung-shi, Kyounggi-do (KR). (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).


#### Published:

with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(74) Agents: KIM, Seok-Yun et al.; RM.202, Hwain B/D, #824-29 Yoksam-dong, Kangnam-gu, 135-935 Seoul (KR).

(54) Title: PRISM DIFFUSER FOR DIFFRACTING AND SPREADING LIGHT



(57) Abstract: The present invention relates to a prism diffuser for diffracting and spreading light, and in particular to a prism diffuser for diffracting and spreading light which is capable of spreading light in a certain direction at a wider angle based on a structure combined with a prism capable of diffracting light on a surface of a medium formed of a glass which transmits or reflect light, a film formed of a transparent synthetic resin material or a metallic plate and a diffuser capable of spreading light and diffracting, spreading and transmitting light into two directions or diffracting, spreading and reflecting light in one direction.

WO 02/057816 A1

1

#### PRISM DIFFUSER FOR DIFFRACTING AND SPREADING LIGHT

#### **BACKGROUND OF THE INVENTION**

#### TECHNICAL FIELD

The present invention relates to a prism diffuser for diffracting and spreading light, and in particular to a prism diffuser for diffracting and spreading light which is capable of spreading light in a certain direction(the light is spread in a wider elliptical direction and the light is narrowly spread in an orthogonal direction) at a wider angle based on a structure combined with a prism capable of diffracting light on a surface of a medium formed of a glass which transmits or reflect light, a film formed of a transparent synthetic resin material or a metallic plate and a diffuser capable of spreading light and diffracting, spreading and transmitting light into two directions or diffracting, spreading and reflecting light in one direction.

15

10

5

#### **BACKGROUND ART**

Generally, since an object through which light transmits or an object which reflects light like a mirror has a small diffracting angle, the transmission and reflection range of light is narrow. In addition, as the width of a light transmission

2

is decreased, the light transmission and reflection range is narrow and bright, and as the width of the light transmission is increased, the light transmission and reflection range is wide and unclear.

Therefore, in order to wide the transmission and reflection range of light, it is suggested to form a small protrusion structure on one surface of a glass, film and metal. The above-described method has an advantage in that the refracting angle of light is increased, and the transmission and reflection angle of light is increased. However, the above method decreases a transmission ratio of light, so that the transmitted and reflected light is unclear.

10

5

#### **DISCLOSURE OF THE INVENTION**

Accordingly, it is an object of the present invention to provide a prism diffuser for diffracting and spreading light which overcomes the problems encountered in the conventional art.

15

It is another object of the present invention to provide a prism diffuser for diffracting and spreading light which is capable of diffracting a transmitted and reflected light in a certain direction wherein a transmitted and reflected light is spread and concentrated in a diffracted region and is lighted up in a spread state.

It is still another object of the present invention to provide a prism diffuser

3

for diffracting and spreading light which is capable of diffracting and spreading light in two directions or intensively diffracting in one direction for thereby transmitting or reflecting the light.

5

10

15

To achieve the above objects, there is provided a prism diffuser for diffracting and spreading light which includes a medium formed of a material capable of transmitting or reflecting light, a light diffracting member in which a plurality of fine protrusion surfaces of a micron unit are continuously connected on one surface of the medium, and the neighboring fine protrusion surfaces are formed in parallel in a certain direction for thereby diffracting light, and a light spreading protrusion member which is formed in a micron unit size greatly smaller than a width and height of the light diffracting member, and a plurality of the same are continuously formed in vertical and horizontal directions on the surface of the light diffracting member and is formed in a longitudinal shape and has a long diameter and a short diameter and has a certain surface curvature for thereby effectively spreading light.

The light diffracting member includes a triangle-shaped cross section in a prism shape.

The light diffracting member is a cylindrical shape lens member in which a continuous cross section forms a waveform.

4

The light spreading protrusion members are arranged in such a manner that the long diameters of the light spreading protrusion members are formed in a protrusion slanted direction of the light diffracting member.

The light spreading protrusion members are arranged in such a manner that the long diameter directions of the light spreading members are formed in a direction parallel with respect to the longitudinal direction of the light diffracting member.

5

10

15

A plurality of fine light spreading protrusion members each having a width and height of a fine unit smaller than that of the light spreading member are protruded.

#### BRIEF DESCRIPTION OF THE DRAWINGS

The present invention will become better understood with reference to the accompanying drawings which are given only by way of illustration and thus are not limitative of the present invention, wherein;

Figure 1 is a partial enlarged perspective view illustrating a prism diffuser combined with a diffracting structure and a spreading structure according to an embodiment of the present invention;

Figure 2 is an enlarged cross-sectional view taken along line A-A according

5

to the embodiment of Figure 1;

5

10

Figures 3 through 5 are views illustrating partial enlarged cross-sectional views illustrating other embodiments of the present invention;

Figure 6 is a partial enlarged perspective view illustrating a prism diffuser combined with a diffracting structure and a spreading structure according to another embodiment of the present invention;

Figures 7A and B through Figures 12A and B are views illustrating a light transmission or diffraction and spreading state of light using a medium combined with a diffracting structure and a refracting structure according to the present invention and a light transmission or refraction state of light of a conventional prism plate according to the present invention;

Figure 13 is a partial enlarged cross-sectional view illustrating a dual structure spreading structure according to the present invention;

Figure 14 is a plan and cross-sectional view of a spreading structure

15 according to the present invention;

Figure 15A is a view illustrating an embodiment in which a medium combined with a diffracting structure and a spreading structure according to the present invention is adapted to a LCD back light, and Figures 15B and C are embodiments in which a diffracting structure and a spreading structure are

6

adapted to a LCD back light according to the present invention; and

Figures 16A and 16B are views for explaining a conventional LCD light guide plate and back light set structure.

### MODES FOR CARRYING OUT THE PREFERRED EMBODIMENTS

5

10

15

The preferred embodiments of the present invention will be explained with reference to the accompanying drawings.

Figure 1 is a partial enlarged perspective view illustrating a prism diffuser combined with a diffracting structure and a spreading structure according to an embodiment of the present invention, Figure 2 is an enlarged cross-sectional view taken along line A-A according to the embodiment of Figure 1, Figures 3 through 5 are views illustrating partial enlarged cross-sectional views illustrating other embodiments of the present invention, Figure 6 is a partial enlarged perspective view illustrating a prism diffuser combined with a diffracting structure and a spreading structure according to another embodiment of the present invention, Figures 7A and B through Figures 12A and B are views illustrating a light transmission or diffraction and spreading state of light using a medium combined with a diffracting structure and a refracting structure according to the present invention and a light transmission or refraction state of light of a conventional

7

prism plate according to the present invention, Figure 13 is a partial enlarged cross-sectional view illustrating a dual structure spreading structure according to the present invention, Figure 14 is a plan and cross-sectional view of a spreading structure according to the present invention, Figure 15A is a view illustrating an embodiment in which a medium combined with a diffracting structure and a spreading structure according to the present invention is adapted to a LCD back light, and Figures 15B and C are embodiments in which a diffracting structure and a spreading structure are adapted to a LCD back light according to the present invention.

5

10

15

As shown therein, reference numeral 1 represents a medium. The medium 1 may be formed a material through which light transmits, like a glass, transparent synthetic resin film, etc. or may be formed of a material like a metal, etc. capable of reflecting light, not transmitting the same.

The medium 1 is formed by selecting the material among a material capable of transmitting light or a material capable of reflecting light based on the purpose of use.

A plurality of light diffracting members 2 each having a micron unit height is formed on one surface of the medium 1. Each of the light diffracting members 2 is continuously connected in their protruded surfaces, and the neighboring light

8

diffracting members 2 are formed in parallel in a longitudinal direction.

5

10

15

The light diffracting members 2 formed on one surface of the medium 1 are formed in a priśm shape having a triangle cross section and a cylindrical shape lens having a wave form cross section as shown in Figures 3 through 5.

The diffraction member 2 formed in the prism shape or the cylindrical lens member is capable of diffracting a light 5a in two directions as shown in Figure 7A or diffracting a light 5e in one direction as shown in Figure 9A.

The present invention is directed to forming a light spreading structure on a plurality of protruded surfaces which form the light diffraction member 2.

The light spreading structure includes a light spreading protrusion 3 which has a certain width and height which is greatly smaller than the width and height of the protruded surface of the light diffracting member 2, and a fine light spreading protrusion 4 formed in a small unit size smaller than that of the light spreading member on the surface of the same. The light spreading protrusion member 3 and the fine light spreading protrusion member 4 are capable of widely spreading the light diffracted into two directions or one direction by the light diffraction member 2 based on the directivity and the field of vision of the light.

As shown in Figure 14, the light spreading and fine light spreading members 3 and 4 are preferably formed in an elliptical shape or a streamline

9

shape and have a long diameter D and a small diameter d. A certain member which has a curvature capable of spreading light may be adapted.

The light spreading protrusion member 3 and the fine light spreading protrusion member 4 are formed in a direction in such a manner that the long diameter directions of the same are arranged in the direction that the protruded surfaces which are the light diffracting member 2 are parallel or are arranged in the direction of the slanted direction of the protruded surface as a direction which is orthogonal thereto for thereby determining the directivity and the field of vision of the light.

5

10

15

Here, the directivity represents that the light is spread in a longitudinal direction like an elliptical or streamline shape having a long diameter D and a short diameter d, not in a circular shape when the light transmits or is reflected by the light diffraction member 2 and the light spreading protrusion members 3 and 4. In addition, the field of vision represents that a light is widely spread based on a directivity and lights up an object more widely and brighter.

Figures 7A through 12B are views illustrating a difference between the present invention and the conventional art by transmitting and reflecting light to a medium 1 which combines the light spreading protrusion member 3 into each protrusion surface(prism structure) which is the light diffracting member 2 and a

10

medium 1a formed in the conventional prism structure 2a which has a simple protrusion shape.

5

10

15

Figure 7A is a view illustrating an embodiment with respect to the medium 1 in which the long diameter direction of the light spreading protrusion member 3 is formed in a slanted direction of the protrusion surface which is the light diffracting member 2. At this time, if the light is irradiated in a direction in which the light diffracting member 2 and the light spreading protrusion member 3 are formed, the light is divided into two directions by the light diffracting member 2 and is diffracted and has a field of vision in which the light is widely spread based on the directivity that the light is extended in a direction by the light spreading protrusion member 3. At this time, the two-direction lighting portions 5a have a directivity which is longitudinally formed in the upper and lower directions toward the direction which is orthogonal with respect to the long diameter of the light spreading protrusion member 3.

Figure 8A is an embodiment with respect to the medium 1 in which a long diameter direction of the light spreading protrusion member 3 is in the longitudinal direction of the protrusion surface which is the light diffracting member 2. In the above embodiment of the present invention, when irradiating the light from one side in which the light diffracting member 2 and the light spreading protrusion

11

member 3 are formed, the light is divided into two directions by the light diffracting member 2 and forms two-direction lighting portions 5c based on a field of vision which is widely spread based on a directivity by the light spreading protrusion member 3. At this time, the directivity of the two-direction lighting portion 5c is formed in the direction orthogonal with respect to the long diameter direction of the light spreading protrusion member 3 and has the directivity in which the long diameter of the two-direction lighting portion 5c is longitudinally formed in the horizontal direction and is spread in a spread state.

When irradiating the light to the medium 1a in which the conventional prism structure 2a is formed as shown in Figures 7 and 8B, the light is diffracted into two directions by the prism structure 2a and forms the two-direction lighting portions 5b and 5d. Each of the two-direction lighting portions 5b and 5d do not have a directivity and is not widely spread.

10

In another embodiment, as shown in Figure 9A, when irradiating a light

from a flat surface which does not have a protrusion using the same medium 1

as the embodiment of Figure 7A, the light being incident into the back surface of
the medium is refracted into one direction by the light diffracting member 2 and
is diffracted based on a field of vision in which the light is widely spread based on
the directivity in which the light is longitudinally formed by the light spreading

12

protrusion member 3. The directivity of the lighting portion 5e is orthogonal with resect to the long diameter of the light spreading protrusion member 3, namely, the long diameter of the lighting portion 5e formed on the screen is formed in the upper and lower portions.

5

10

15

Figure 10A is a view of an embodiment in which a light is irradiated from the back surface using the medium 1 in which the long diameter direction of the light spreading protrusion member 3 as shown in Figure 8A is formed in the direction of the protrusion surface of the light diffracting member 2. The light being incident into the back surface of the medium 1 is diffracted in the direction 1 by the light diffracting member 2 and is diffracted based on a field of vision in which the light is widely spread based on the directivity that the light is longitudinally formed by the light spreading member 3. At this time, the directivity of one lighting portion 5g is diffracted in the direction orthogonal with respect to the long diameter of the light spreading member 3.

As shown in Figures 9B and 10B, in the case of the medium 1a in which only the conventional prism structure 2a is formed, when irradiating the light from the back surface, the light is refracted in one direction by the prism structure 2a and forms lighting portions 5f and 5h. The lighting portions 5f and 5h are formed in a small circle and do not have a directivity and is not widely spread.

13

Figure 11A and 12A are views illustrating an embodiment(Figure 11A) in which the long diameter direction of the light spreading protrusion member 3 is formed in a slanted direction of the protrusion surface of the light diffracting member 2 when forming the light diffracting member 2 and the light spreading protrusion member 3 on the reflection surface of the medium 1 which reflects light and an embodiment(Figure 12A) in which the light is formed in the direction parallel with respect to the longitudinal direction of the protrusion surface. As shown therein, when irradiating light as an incident angle slanted with respect to the front side of the surface in which the protrusions are formed, the light is reflected and have one-direction lighting portions 5I and 5m. At this time, the one-direction lighting portions 5I and 5m have a directivity orthogonal with respect to the long diameter of the light spreading protrusion member 3 and is diffracted based on a field of vision in which the light is widely spread.

10

15

Figures 11B and 12B are views illustrating the conventional construction in which only the prism structure 2a is formed on the reflection surface of the medium 1a which reflects light. As shown therein, the light which is irradiated from a slanted surface of the prism structure 2a is refracted and reflected in one direction, and the one-direction lighting portions 5j and 5n are formed in a small circle, so that the light does not have a directivity as well as is not widely spread.

14

Figure 13 is a view illustrating a medium 1 in which a plurality of fine and light spreading members 3 each having a width and height smaller than that of the light spreading protrusion member are formed on the surface of the light spreading member 3 which is formed in the vertical and horizontal directions on the protrusion surface which is the light diffracting member 2. As shown therein, when forming the fine light spreading protrusion member 4 on the surface of the light spreading protrusion member 3, the light spreading protrusion member 3 is re-spread by the fine light spreading protrusion member 4.

5

10

15

A result of lighting between the embodiment in which the medium 1 according to the present invention is adapted to a LCD back light which operates lighting of a notebook computer and the conventional LCD back light set structure will be explained.

First, the conventional back light set structure will be explained. Figure 16A is an initial structure of the light guide 101. As shown therein, when irradiating light from a light source 102 installed in a lateral side of the light guide 101, the thusly irradiated light is refracted in the opposite direction of the reflection plate 103. At this time, the refraction direction is formed in the direction of the arrow, so that the light is spread outwardly. Therefore, in this case, it is impossible to brightly

15

irradiate the screen of the LCD installed on the surface of the light guide 101. In order to overcome the above problems, a back light set structure 100 in which the prism plate 104 and the upper and lower diffuser plates 105 and 106 are engaged is installed on the light guide 101 as shown in Figure 16B. In the above construction, the light irradiated from the light source 102 is refracted by the light guide and is diffracted in the vertical direction as indicated by the arrow by the lower diffuser plate 106, the prism plate 104 and the upper diffuser plate 105 for thereby lighting the screen of the LCD. In this case, since the back light set structure 100 is formed of the light guide 101, the prism plate 104 and the upper and lower diffuser plates 105 and 106 in the multiple structure, the construction of the same is complicated, and the thickness is increased. In addition, the light is bright in the center portion, and the brightness is sharply decreased from the center portion to the edge portion, so that the clearness of the screen of the computer is not uniform.

5

10

15

Figure 15A is a view illustrating the structure that a medium 1 in which the light diffracting member 2, the light spreading protrusion member 3 and the fine light spreading protrusion member 4 are formed on one surface is installed on the surface of the light guide 10 in which the reflection plate 11 is installed. In the above embodiment, it is possible to diffract and spread the light irradiated from

16

the light source 12 installed in lateral side of the light guide 10 in the direction of the medium 1, and it is possible to diffract and spread the light diffracted by the light guide 10 in a desired direction by forming the long diameter direction of the light spreading protrusion member 3 and the fine light spreading member 4 in a slanted direction or a longitudinal direction or other directions of the protrusion surface which is the diffracting structure 2. In addition, it is possible to uniformly light up light, so that the screen of the LCD is more clearly lighted.

5

10

15 .

As shown in Figures 15B and C, the light diffracting member 2 and the spreading protrusion members 3 and 4 according to the present invention may be integrally formed on the upper surface or the lower surface of the light guide 10 for thereby maximizing the simplicity of the structure. In the case that the diffracting and spreading structures are directly adapted to the upper surface or the lower surface of the light guide 10, it is possible to diffract the light irradiated from the lateral side of the light guide 10 in a desired direction for thereby implementing a wider spreading effect.

As described above, in the present invention, it is possible to enhance a light diffracting and spreading effect using a light diffracting member having a micron unit protrusion surface which is capable of diffracting and spreading light with respect to a glass and a synthetic resin film through which light passes and

17

a metal by which light is reflected, and one medium which forms a light spreading protrusion of a protrusion shape having a micron unit which is greatly smaller than the width and height of the light diffracting member on the protrusion surface of the light diffracting member for thereby diffracting and spreading the light at wider field of vision based on a certain directivity. In addition, in the present invention, a fine light spreading protrusion member of a fine unit is formed on the protrusion surface of the light spreading member for thereby maximizing the spreading effect. When the present invention is adapted to a screen of a notebook computer or an outdoor advertisement plate, it is possible to irradiate more brightly using a small power consumption.

5

10

15

As the present invention may be embodied in several forms without departing from the spirit or essential characteristics thereof, it should also be understood that the above-described embodiments are not limited by any of the details of the foregoing description, unless otherwise specified, but rather should be construed broadly within its spirit and scope as defined in the appended claims, and therefore all changes and modifications that fall within the meets and bounds of the claims, or equivalences of such meets and bounds are therefore intended to be embraced by the appended claims.

18

#### CLAIMS

1. A prism diffuser capable of diffracting and spreading light, comprising: a medium formed of a material capable of transmitting or reflecting light; a light diffracting member in which a plurality of fine protrusion surfaces of a micron unit are continuously connected on one surface of the medium, and the neighboring fine protrusion surfaces are formed in parallel in a certain direction for thereby diffracting light; and

a light spreading protrusion member which is formed in a micron unit size greatly smaller than a width and height of the light diffracting member, and a plurality of the same are continuously formed in vertical and horizontal directions on the surface of the light diffracting member and is formed in a longitudinal shape and has a long diameter and a short diameter and has a certain surface curvature for thereby effectively spreading light.

10


- 2. A prism diffuser of claim 1, wherein said light diffracting member includes a triangle-shaped cross section in a prism shape.
  - 3. A prism diffuser of claim 1, wherein said light diffracting member is a cylindrical shape lens member in which a continuous cross section forms a

19


waveform.

5

- 4. A prism diffuser of claim 1, wherein said light spreading protrusion members are arranged in such a manner that the long diameters of the light spreading protrusion members are formed in a protrusion slanted direction of the light diffracting member.
- A prism diffuser of claim 1, wherein said light spreading protrusion members are arranged in such a manner that the long diameter directions of the
   light spreading members are formed in a direction parallel with respect to the longitudinal direction of the light diffracting member.
- A prism diffuser of claim 1, wherein a plurality of fine light spreading
   protrusion members each having a width and height of a fine unit smaller than that
   of the light spreading member are protruded.




[Fig.2]




2/12

[Fig.3]




[Fig.4]




3/12

[Fig.5]




[Fig.6]




4/12

[Fig.7A]




[Fig.7B]





5/12


[Fig.8A]



[Fig.8B]









7/12

[Fig. 10A]




[Fig. 10B]




8/12

[Fig. 11A]




[Fig. 11B]




9/12

[Fig.12A]




[Fig. 12B]




10/12

[Fig. 13]




[Fig. 14]







[Fig. 15A]



[Fig. 15B]




[Fig. 15C]




12/12

[Fig. 16A]



[Fig. 16B]



#### INTERNATIONAL SEARCH REPORT

International application No.

#### PCT/KR 02/00020 CLASSIFICATION OF SUBJECT MATTER IPC7: G02B 5/02, G02F 1/13357 According to International Patent Classification (IPC) or to both national classification and IPC **B. FIELDS SEARCHED** Minimum documentation searched (classification system followed by classification symbols) PC7: G02B 5/02, 5/04; G02F 1/13357 Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched Electronic data base consulted during the international search (name of data base and, where practicable, search terms used) **EPOQUE (EPODOC, WPI)** C. DOCUMENTS CONSIDERED TO BE RELEVANT Category | Citation of document, with indication, where appropriate, of the relevant passages Relevant to claim No. X US 6130777 A (YAMASHITA et al.) 10 October 2000 (10.10.00) 1,3,5,6 fig.1A-1D, 4A-5B, 12A-12D, 17-18B; col.6, lines 24-37. EP 0544332 A1 (ENPLAS CORP.) 2 June 1993 (02.06.93) Α 1.2 col.4, line 9-col.5, line 11; col.6, lines 23-35; figs. 14-16. US 5126882 A (OE et al.) 30 June 1992 (30.06.92) Α 1,3 abstract; figs. 3,3a,10,11,22; col.14, lines 9-49. Α US 5303322 A (WINSTON et al.) 12 April 1994 (12.04.94) 1 abstract; fig. 2C,6A. See patent family annex. Further documents are listed in the continuation of Box C. Special categories of cited documents: "T" later document published after the international filing date or priority A" document defining the general state of the art which is not date and not in conflict with the application but cited to understand considered to be of particular relevance the principle or theory underlying the invention "E" earlier application or patent but published on or after the international "X" document of particular relevance; the claimed invention cannot be filing date considered novel or cannot be considered to involve an inventive step "L" document which may throw doubts on priority claim(s) or which is when the document is taken alone cited to establish the publication date of another citation or other "Y" document of particular relevance; the claimed invention cannot be special reason (as specified) considered to involve an inventive step when the document is O' document referring to an oral disclosure, use, exhibition or other combined with one or more other such documents, such combination being obvious to a person skilled in the art .P' document published prior to the international filing date but later than \_&" document member of the same patent family the priority date claimed Date of the actual completion of the international search Date of mailing of the international search report 26 February 2002 (26.02.2002) 19 April 2002 (19.04.2002) Name and mailing adress of the ISA/AT Authorized officer **Austrian Patent Office GRONAU** Kohlmarkt 8-10; A-1014 Vienna

Telephone No. 1/53424/320

Form PCT/ISA/210 (second sheet) (July 1998)

Facsimile No. 1/53424/535

### INTERNATIONAL SEARCH REPORT

International application No. PCT/KR 02/00020

Patent document cited in search report	Publication date	1	Patent memb		Publication date
EP Al 544332	02-06-1993	JP	A2	4334236	20. 11. 1000
EP B1 544332	29-01-1997	O.	ne.	1334230	20-11-1992
EP A1 544332	02-06-1993				
EP B1 544332	29-01-1997				
EP A1 544332	02-06-1993				
EP B1 544332	29-01-1997				
EP A1 544332	02-06-1993				
EP B1 544332	29-01-1997				
EP A1 544332	02-06-1993				
EP B1 544332	29-01-1997				
EP Al 544332	02-06-1993				
EP B1 544332	29-01-1997				
US A 5126882	30-06-1992	CA	A1	1312320	05-01-1993
		DE	CO	3889297	01-06-1994
		DE	T2	3889297	04-08-1994
		EP	A2	317250	24-05-1989
		EP	A3	317250	28-03-1990
		EP	B1	317250	27-04-1994
		JP	A2	8271705	18-10-1996
		JP	A2	11084111	26-03-1999
		JP	B2	2965138	18-10-1999
		JP	B2	3042842	22-05-2000
		KR	<b>B1</b>	241829	01-02-2000
		US	E	35704	30-12-1997
		JP	A2	2000017	05-01-1990
		JP	B4	7027136	29-03-1995
		JP	A2	8262441	11-10-1996
		JP	A2	8262442	11-10-1996
	•	JP	A2	2084618	26-03-1990
		J.	B4	7027137	29-03-1995
		JP	B2	2739730	15-04-1998
		JP	B2	2739731	15-04-1998
US A 5303322	12-04-1994	AT	E	145464	15-12-1996
		AÜ	Al	38150/93	21-10-1993
		DE	CO	69306022	02-01-1997
		DE	T2	69306022	13-03-1997
		EP	A1	562802	29-09-1993
		EP	B1	562802	20-11-1996
		ES	Т3	2097445	01-04-1997
		JР	A2	6043325	18-02-1994
		JP	B2	2916063	05-07-1999
		US	A	5237641	17-08-1993
		WO	Al	9319390	30-09-1993
		US	A	5528720	18-06-1996
		US	A	5594830	14-01-1997
		US	A	6002829	14-12-1999
		US	A	6044196	28-03-2000
		US	BA	6335999	01-01-2002
		ΑU	Al	64022/94	26-09-1994
		AU	B2	681878	11-09-1997
		CA	AA N1	2157898	15-09-1994
		EP	A1	746787	11-12-1996
		EP	A4 AO	746787	23-07-1997
		IL	AU Al	108917	24-06-1994
		IL	T2	108917	13-07-1997
	•	JP WO	A1	9507584	29-07-1997
			AA	9420871 2187151	15-09-1994
		CA EP	AA Al	760962	04-04-1998
	•	EP	A4	760962 760962	12-03-1997
		JP	T2		10-09-1997
				10503600	31-03-1998
		WO	A1	9527915	19-10-1995
		AU	A1	60236/98	18-08-1998
		ÉP	A2	953130	03-11-1999
		EP	A4	953130	05-01-2000
		JP	T2	01508590	26-06-2001
10 3 6120272	10.10.0000	WO	A2	9833006	30-07-1998
US A 6130777	10-10-2000	JP	A2	9311202	02-12-1997
		US	BA	6325880	04-12-2001
		JР	A2	9311203	02-12-1997
•		JP	A2	9311204	02-12-1997